

**Linssen Grand Sturdy 35.0 Sedan Intero**

Hull number 3711

**Options above the standard specification this yacht will be equipped with:**

**1 Hull 1.1 Exterior**

11060.03 Linssen E-Variodeck (electric sliding roof) in the saloon

**1.2 Stainless Steel**

12020.02 Polished stainless steel hinged side ladder integrated into deck rail

**1.3 Technical**

13290.03 Heating (blower) in cockpit connected to heating system

**2 Coating**

**2.1 Coating & deck Finish**

21090.23 Original Linssen colour scheme

Hull: Midnight Blue

Superstructure: Egg shell white

Waterline: Eggshell white

Antifouling: Black

Rope Fender: Beige

Glass: Tinted smoke grey

**3 Engine Compartment**

**3.1 Technical**

31050.03 12V Sternthruster 55 kgf 3KW / 4HP

**3.3 Electrical & Electronics**

33082.02 Additional maintenance free AGM Domestic battery 170AH  
(total 2 x 170 AH domestic batteries)

33271.02 Automic battery charger / inverter type Victron Multiplus compact 12/1600-70  
(70A/1600w) with remote control panel. Peak power 3000 W

**3.4.2 Navigation Packages**

**Basic Package**

34090.16 Rudder indication on Raymarine Axiom display at steering position

34125.01 Raymarine Axiom 7 Multifunctional display

34140.03 Navionics Gold XL9 marine chart type 46XG, West Europe

34150.02 Raymarine RS150 GPS sensor in Mast

### **3.5 Exterior Equipment Hull**

35090.02 Electric anchor winch 1200/12V fitted with integrated stainless steel anchor rollers and anchor hawse with 30m 8mm anchor chain according DIN 766A15 and 15kg Bruce Anchor (controlled by cable controller)

### **3.8 Windows**

38011.21 All windows to saloon in anodised aluminium profiles in superstructure colour incl toughened “ smoke grey” tinted glass, Front windows in plain glass

## **5 Finish**

### **5.1 Lighting & Sockets**

51080.11 Luxurious LED reading lights (2x) in the front cabin

51100.01 Attractive indirect lighting in interior

51400.11 USB socket in FC and Steering position for charging mobile equipment

### **5.2 Galley**

52230.01 Stainless steel oven (gas)

### **5.3 Sanitary Fittings**

53130.02 Electric toilet in forward cabin with fresh water rinsing

### **5.4 Audio/video/internet**

54200.01 Primary TV connection at saloon port TV cupboard incl. extra 230v socket

54250.01 Glomex TV- Antenna on mast, suitable for digital reception. Suitable for DVBT-T2 network

### **5.5 Ventilation**

55130.01 Combined blind/mosquito screen for panorama/escape hatch in forward cabin deck-head

### **5.7 Exterior Upholstery**

57030.03 Cushions for cockpit bench in imitation leather colour Sandsurf

### **5.9 Canvas & Covers**

59020.11 Cockpit canvas longtop, Sunbrella Dune the side and back panels can be opened separately by a zip-fastener

## **Specials**

9SP08153 Provision for autopilot

Hull Number: 3711

Delivery: Ex Works Maasbract

Delivery time: September 2021

TOTAL PRICE: € 289255 (excl VAT)

£ 248759 (excl Vat)

**\* Linssen Grand Sturdy 35.0 Sedan Intero**

As per catalogue/equipment schedule 02-2019

**FITTING OUT SCHEDULE**

**BASIC DATA**

01010.05	Construction	: HPH® (Hardchine Prestressed Hull)
	Bottom/hull/decks/superstructure	: 5/4/4/4 mm.
	Weight/displacement	: ±8.500 kg / ±8,5 m³
01020.05	LOA x beam x draft	: ± 10.70 x 3.40 x 1.00 m.
	Length over deck	: ± 9.87 m.
	Length waterline	: ± 8.83 m.
	Minimum air draft	: ± 2.37 m.
	Headroom FC/saloon	: ± 1.83/1.94 m.
01030.02	CE-classification	: C (coast)
	Number of max. recommended persons	: 8
13010.05	Engine	: 1x 4 cyl. Volvo Penta Diesel, type D2-75 ZF 25-H / 2,8 : 1 1x 55 kW (75 HP), 3000 rpm
	Alternator	: 115A-12V
03040.01	Fuel tank capacity	: ± 240 ltr.
	Water tank capacity	: ± 220 ltr.
	Holding tank capacity	: ± 240 ltr.
42001.01	Spacious saloon with L-settee (incl. Easy Sleep Convert System), steering position with comfortable helmseat, longitudinally adjustable at SB-side. Spacious L-shaped galley and deck with Design stool at Port side.	
43001.01	Front cabin with double berth and cupboards, toilet compartment and separate shower compartment. Double bed with slatted and sprung mattress base in front cabin	

**1. HULL**

**1.1 EXTERIOR**

- 11015.01 Hull constructed in accordance with the Linssen Yachts HPH® construction method
- 11065.02 Longtop, saloondeck width, insulated and finished with ceiling and integrated LED dimmer lights.
- 11068.01 Selfdraining cockpit with functional drain system
- 11070.01 Integrated cockpit settee with teak top
- 11080.01 Integrated stern door to bathing platform

**1.2 STAINLESS STEEL**

- 12010.01 Polished stainless steel sea rail
- 12020.01 Side entrances with stainless steel entrance chains
- 12030.01 Opening in sea rail at the bow (lockable with stainless steel)

- chain)
- 12050.02 6 x Original Linssen-design stainless steel cleats
  - 12055.01 2 x Original Linssen-design stainless steel cleats at the bathing platform
  - 12080.01 Stainless steel handrails on saloon deck
  - 12120.01 Settee with storage space and solid teak top on bathing platform
  - 12125.01 Teak step in side decks
  - 12130.01 Polished stainless steel foldable bathing ladder at bathing platform (incl. solid teak steps with anti-slip profiles)
  - 12145.02 Robust, stainless steel coated bathing platform, with solid teak parts (including Heavy Duty Linssen PVC fendering from bathing platform to 1/3 of the hull length)

### 1.3 TECHNICAL

- 13030.01 Linssen DUAL CROSS engine foundation
- 13040.01 Linssen "FIS" system (patent Floor Integrated System®) for integral protected loop-up of cables and ductings in the engine compartment
- 13050.02 Provisions for bowthruster
- 13060.02 Provisions for sternthruster, incl. main power cables
- 13080.03 Provisions for deck-wash pump
- 13110.01 Outside shower at bathing platform, with warm and cold water tap
- 13150.02 Integrated bow fitting with fixed anchor roller and stainless steel anchor holder
- 13240.01 Selfdraining seawaterproof anchor chain container
- 13280.01 Waterproof speakers for radio in open cockpit

## 2. COATING

### 2.1 COATING & DECK FINISH

- 21010.01 Linssen 2 component Exterior Coating system
- 21020.01 Saloon and cabin deck in anti-slip coating
- 21030.01 Fore-deck and side decks in anti-slip coating
- 21060.01 Non-toxic antifouling suitable for fresh and salt water (Black colour)
- 21070.01 Additional 2-component easy-to-clean protective coating in engine compartment
- 21090.19 Original Linssen colour scheme:
 

Superstructure and hull	: Sand Beige
Waterline	: Dark Green
Antifouling	: Black
Rope fender	: Beige
Glass windows saloon, ventilation-/escape hatch	: "summer green" tinted



## **2.2 TEAK DECKS**

22030.01 Teak floor in the cockpit

## **3. ENGINE COMPARTMENT**

### **3.1 TECHNICAL**

- 31010.01 Linssen Yachts "hydrolubricated" propeller shaft installation
- 31020.01 Engine/shaft connection through homokinetic coupling and thrust bearing
- 31025.01 Special low noise propeller
- 31030.03 12V. Bowthruster 55 kgf (3 kW / 4 HP)
- 31070.01 Mechanical Morse engine control equipped with anti-vibration kit for noise and vibration damping.
- 31090.01 Hydraulic steering
- 31093.02 Stainless steel steering wheel with teak rim, at inside steering position
- 31120.01 Emergency steering installation
- 31150.02 Fuel tank of advanced design with inspection/cleaning hatch ( $\pm$  240 litres)
- 31160.03 Magnetic level gauge in fuel tank for direct volume indication
- 31170.01 Separate second (1 x on engine) fuel filter with water separator
- 31210.01 Fuel supply cut-off to engine from saloon settee
- 31240.01 Air-heating 5kW with outlets in saloon and FC (lockable). Control panel in saloon.
- 31241.03 Heating outlet in toilet compartment forward cabin
- 31320.01 Lighting storage "cellar" space with automatic switch
- 31700.03 Automatic fire extinguishing in engine compartment
- 31750.01 Linssen super sound insulation package consisting of a sound absorbent insulation and a non vibration package.

### **3.2 ON-BOARD WATER SYSTEMS**

- 32010.01 Automatic pressurized water system including solid PVC water tank with inspection/cleaning hatch and level indicator ( $\pm$  220 litres)
- 32020.01 Automatic pump with electronic pressure regulation for water system
- 32050.01 Hot water system (24 litre calorifier)
- 32060.01 230 V / 500W immersion heater in calorifier
- 32080.03 Holding tank toilet including Dockside-Discharge connection and level indicator ( $\pm$  240 litres)
- 32095.01 All grey water outlets (sinks and shower-drainage) discharge directly overboard
- 32105.02 Drain pump shower front cabin finished with time relay
- 32110.02 Holding tank waste pump-out unit for Direct Discharge

- 32180.01 Electric bilge pump installation in engine compartment, with float switch for alarm. Manually operated
- 32200.01 Additional loose electric bilge pump provided, with discharge tube and supply cable

### **3.3 ELECTRICAL & ELECTRONICS**

- 33020.01 Electric domestic 12 V. with automatic main fuse and separate fuses for all users
- 33030.01 230V. /16Amp shore power connection with fuses and shore power cable (25 metres)
- 33050.21 Shore power connection equipped with a galvanic insulator for an optimal separation between domestic & shore power
- 33022.01 Linssen Yachts ICCISS main switchboards, 1x in saloon and 1x at steering position, for control of key functions and reading of fluid levels
- 33082.01 Domestic: 12V. with 1 maintenance free "Super Cycle" AGM-batterie 170 Ah.
- 33180.01 Starting circuit 12V. with 1 x maintenance free "Super Cycle" AGM-battery 170 Ah.
- 33230.06 Automatic VICTRON BlueSmart 12/30-3 (3x 30 A.) battery charger, with Bluetooth function that allows readout via app.

### **3.4 INSTRUMENTS & NAVIGATION**

- 34010.01 Engine instrument panel with rev.counter and volt-, temperature and oil pressure alarm (acoustic en optical)
- 34030.02 Compressor horn with control at steering position
- 34050.02 LED navigation lights: Starboard and Port side on superstructure, stern light, top light in mast and anchor light
- 34070.01 Spare wiring for compass/windset

#### **3.4.1 NAVIGATION INSTRUMENTS**

- 34080.14 Raymarine i70S multifunction instrument with read out from echosounder, log and outside water temperature at steering position

### **3.5 EXTERIOR EQUIPMENT HULL**

- 35010.01 Magnesium anodes (for fresh water)
- 35030.01 Original Linssen synthetic-fibre rope fender, with stainless steel stretcher (Beige colour)
- 35081.22 Manual anchor winch with integrated Heavy Duty stainless steel anchor rollers and Linssen patented anchor rail. Including 30m 8mm. anchor chain and 15 kg. Bruce anchor

### **3.7 EXTERIOR EQUIPMENT SUPERSTRUCTURE**

- 37030.02 Robust windscreen wiper installation wheelhouse, position middle and SB-side

- 37070.01 Original Linssen Design mast powder coated in colour superstructure
- 37075.02 Stainless steel mast stays with quick release system
- 37180.01 Stainless steel Linssen Grand Sturdy logo
- 37210.01 Cockpit hatch equipped with stainless steel lock and gas strut
- 37271.11 entrance doors, varnished in superstructure colour

### **3.8 WINDOWS**

- 38010.01 All windows to saloon in anodised aluminium profiles, incl. toughened "Summer Green" tinted glass
- 38040.01 Aluminium Stbd fixed front window in saloon, finished with "Summer Green" tinted glass
- 38060.02 Hinged window in Port forward saloon, with "Summer Green" tinted glass
- 38075.01 Aluminium fixed Port window in saloon, with "Summer green" tinted glass
- 38085.01 Aluminium fixed SB window in saloon front, with "Summer green" tinted glass
- 38300.02 4 x opening port-holes in the forward cabin, with plain acrylate
- 38400.01 Aluminium ventilation/escape hatch, with "Summer Green" tinted acrylate in the forward cabin, incl. curtain

## **4. INTERIOR**

### **GENERAL**

- 40010.01 Linssen panels FPS® (Floating Panel System, Patented)
- 40020.03 Interior constructed of high-end okoumé panelling with cherry finish
- 40030.01 Deck-head lining in decor finish
- 40040.01 Original Linssen maintenance friendly ship's floor, wengé color
- 40050.02 High gloss stainless steel fittings in all compartments
- 40060.02 High gloss stainless steel door and locker furniture, with push-button catches

### **4.2 SALOON/ GALLEY**

- 42021.01 Comfortable saloon settee with "Easy Sleep Convert System", double-bed function with integrated storage space
- 42031.02 Elegant saloon table
- 42061.01 Steering position including comfortable helmseat, longitudinally adjustable
- 42081.01 L-Shaped galley with cupboards and drawers
- 42092.01 Galley worktop finished with "Clamshell" original Corian®
- 42111.01 Chart table/desk with folding lid for mounting optional TV including comfortable design stool.
- 42141.01 Functional storage space in forward section, equipped with 8 storage boxes



- 43141.01 Wardrobe in saloon on SB side in the front
- 42414.01 Wall panels in saloon SB, Port and front in cream white HPL.

#### **4.3 FRONT CABIN/ SHOWER & HEADS COMPARTMENT**

- 43021.01 Double berth with slatted base and large drawer
- 43031.01 Spacious linen-cupboard on Port side
- 43041.01 Spacious linen cupboard on Starboard side
- 43062.02 Toilet/shower walls FC in high quality Formica wall finishing
- 43071.02 Washbasin in front toilet-compartment, built into vanity unit. Worktop and wash basin in toilet compartment finished in original Corian® "Clamshell"
- 43082.02 Shower in the FC finished in high quality Formica wall finishing and teak seat
- 43412.01 Soft paneling FC, longitudinal SB/Port (3 panels)

### **5. FINISH**

#### **5.1 LIGHTING & SOCKETS**

- 51010.05 LED dimmed interior light fittings in all compartments, with light switches
- 51400.01 1x USB socket in the saloon for charging mobil equipment. No data transfer.
- 51500.00 1 x 12 V. socket at steering position
- 51603.01 3 x 230 V. Sockets in the FC (1x), saloon (1x) and galley (1x)
- 51620.01 Additional splash resistant 230 V. socket in the forward cabin toilet

#### **5.2 GALLEY**

- 52015.01 Bar cupboard in saloon, incl. set of Linssen Yachts glasses (comprising: 6 shot glasses, 6 highball glasses, 6 whisky glasses and 6 wine glasses)
- 52020.02 Integrated waste bucket in cupboard incl. partition with shelves
- 52023.01 Anti-slip mats in galley
- 52030.01 Cutlery tray
- 52040.01 80 l. refrigerator with freezer compartment. The freezer compartment can be removed to increase the capacity of the fridge.
- 52105.02 Gas installation with Campingaz gas bottle (3kg), in container at bathing platform
- 52110.02 3-burner stainless steel gas hob
- 52120.02 Glass coverplate for 3-burner gas hob
- 52180.01 Stainless steel sink
- 53020.03 Mixer tap in galley type Grohe Essence



### **5.3 SANITARY FITTINGS**

- 53010.01 Selected bathroom fittings (mirror, toilet paper holder, etc.), in the forward cabin
- 53030.03 Wash-basin mixer tap in toilet compartment FC type Grohe Essence
- 53050.04 Shower mixer tap in forward shower type Grohe 1000C (Thermostatically adjustable) incl. shower rail
- 53130.01 Manual sea toilet

### **5.4 AUDIO / VIDEO / INTERNET**

- 54010.02 Stereo radio/MP3-player Fusion RA70N with bluetooth including 2 speakers in the saloon and FM radio antenna in mast.  
Audio streaming possible  
Operation possible via the App FUSION link  
DAB+ ready  
AM/FM including RDS  
Amplifier Class-AB 4x 50W

### **5.6 INTERIOR UPHOLSTERY**

- 56041.02 Anatomically moulded U-shaped saloon settee, finished in genuine leather
- 56045.02 Comfortable steering bench at inside steering position, finished in genuine leather, cream colour
- 56073.02 Design stool finished in genuine leather
- 56101.11 Mattress 1x 2 pers. in front cabin type coldfoam 14 cm. with layer in foam in two hardness grades.
- 56300.01 Curtains for windows and hatches, cream colour

### **5.8 EQUIPMENT**

- 58010.01 Spares kit including tool-kit, impeller, fuses, paint-tips and various maintenance parts
- 58020.01 Complete inventory including 4 fenders, 4 mooring ropes (10 meters), boathook, life buoy, bucket, scrubbing brush, national flag, yard ribbon, safety rope for anchor chain and anchor ball
- 58030.01 First-aid box in saloon according to DIN13157
- 58040.01 ABC fire class compliant fire extinguisher (1 x 2 kg) in saloon
- 58045.01 Optical smoke detector with fixed built-in lithium battery (life span 10 years) in all sleeping compartments.