

Linssen GS45.0 AC

Hull 3645 **CHOOSEN OPTIONS:** **Delivery February 2021**

Item	Description
	1. HULL
	1.2 STAINLESS STEEL
12020.02	Polished stainless steel hinged side ladder integrated into deck rail (Port and Starboard)
	1.3 TECHNICAL
13020.06	Engines: 2x 5 cyl. Volvo Penta Diesel, type D3-110 ZF 45-H / 3,031 : 1 2x 82 kW (110 HP), 3000 rpm Alternator: 2x 180A-12V Extra Alternator: 2x ALPHA 75A-24V
13029.12	Air suction vents for engine compartment with aluminium grill at Port and Sbd side, powdercoated black
13070.03	Provisions for simple installation of Magnus Master stabilization system to prevent rolling of the ship. 2 mounting flanges welded in the hull.
13290.01	Heating (blower) at steering position (4 kW), connected to the engine
	2. COATING
	2.1 COATING & DECK FINISH
21090.23	Original Linssen colour scheme: Hull: Midnight Blue (H5346) Superstructure: Egg Shell White (H8015) Waterline: Egg Shell White (H8015) Antifouling: Black Rope fender: Beige Canvas and covers: Sunbrella Dark Navy Glass windows saloon, windscreen, ventilation-/escape hatch: "Smoke grey" tinted
	2.2 TEAK DECKS
22010.01	Original LINSSEN teak deck on front deck and side decks
22020.01	Original LINSSEN teak deck on aft deck, steps on transom and ventilation-/escape hatch
	3. ENGINE COMPARTMENT
	3.1 TECHNICAL
31053.08	Electric stern thruster Side Power 24V/150 Kgf (8,8 kW/11,8 HP) incl. 2x 130

- Ah maintenance-free battery
- 31145.11 Fuel tanks with inspection/cleaning hatch, incl. level indicator (2x ± 530 litres)
- 31200.03 Double fuel filter with switch (2x)
- 31308.01 Towel radiator in toiletcompartment front cabin electric 230 V. thermostatically controllable
- 31308.21 Towel radiator in toiletcompartment aft cabin electric 230 V. thermostatically controllable

3.3 ELECTRICAL & ELECTRONICS

- 33290.04 ONAN 230V/9,5KW, type MDKAW generator. Intercooling, continuous power, integrated in shore power connection. Incl. water/gas separator for exhaust generator. A remote control panel with digital display of volt, Hz, amp., speed, coolant temperature, oil pressure, battery voltage and the total number of operating hours. The control panel gives a pre-alarm before the generator shuts down due to low oil pressure or high temperature. If the generator is switched off due to a malfunction, the display will show a description of the error and the error code.

3.4.2 NAVIGATION PACKAGES

3.4.2.4 SEA PACKAGE

- 34110.11 Raymarine autopilot with p70RS display at steering position (incl. course computer/rudder indicator/compass transducer)
- 34125.03 Raymarine Axiom 12 Pro RVX multifunctional display with readout of depth and log at steering position
- 34140.03 Navionics Gold XL9 marine chart type 46XG, West Europe
- 34160.05 Raymarine Quantum 2 (Doppler) CHIRP radar antenna, on the mast

3.4.3.1 Rear view

- 34145.11 1x Raymarine CAM220 IP day & night net dome video camera on transom for rear view with readout on multifunctional Raymarine display

3.4.3.2 Mooring view

- 34145.12 2x Raymarine CAM220 IP day & night net dome video cameras with readout on multifunctional Raymarine display:
 - 1x SB and 1x Port on the hull for mooring view

3.4.4 REMOTE PACKAGES

- 34110.13 Raymarine Smart Controller wireless autopilot remote control
- 31067.01 Remote control for bow (and stern) thruster

3.4.5 COMMUNICATION PACKAGES

- 34190.09 Raymarine Ray90 VHF with Class D "Digital Selective Calling" (DSC) incl. passive speaker at steering position including antenna in Mast

3.5 EXTERIOR EQUIPMENT HULL

- 35010.01 Magnesium anodes (for fresh water)
- 35092.32 Electric anchor winch 1200W/24V. mounted above deck with integrated stainless steel anchor rollers and anchor rail with 80m. 10 mm. anchor chain and 20 Kg. Bruce-anchor

3.6 LINSSEN YACHTS TENDER SOLUTIONS

- 36040.03 LinsSEN Yachts hydraulic stainless steel tender lift-installation on bathing platform. (Lifting capacity 150kg.) Incl. separate hydraulic system and

remote control.

3.7 EXTERIOR EQUIPMENT SUPERSTRUCTURE

- 37020.50 Extend windscreen wiper installation with synchronous and 3 step interval function. In the interval mode, the wipers run synchronously and are self-parking.
- 37080.08 Electric mast lowering system, incl. control at steering position.
- 37110.37 2nd Magnus 'S' helm-seat in sand beige imitation leather, on stainless steel adjustable support.
- 37230.01 Fixed luxury teak table incl. 2-pieces foldable joint with convenient fast closure system on aft deck on stainless steel support.

3.8 WINDOWS

- 38031.01 Double-glazed "Smoke grey" tinted windows in the saloon (incl. entrance door) with thermal insulated profile (Thermic Line). Attention: The sliding window will be finished in single glass
- 38071.02 Aluminium sliding window in saloon at Port side, with tinted glass
- 38411.01 Aluminium ventilation/escape hatch, with "Smoke Grey" tinted glass in guest cabin and head
- 38421.01 Aluminium ventilation/escape hatch, with "Smoke Grey" tinted glass in aft cabin
- 38431.01 5-part aluminium windscreen with anodised profiles, with "Smoke Grey" tinted/toughened glass fitted on coated stainless steel foundation
- 38441.03 Fixed aluminium deck window integrated in saloon deck as engine hatch, profile coated in colour superstructure

4. INTERIOR

4.1 AFT CABIN

- 41051.90 Mirror in aft cabin on aft bulkhead

5. FINISH

5.1 LIGHTING & SOCKETS

- 51080.11 Luxurious LED reading lights (2x) in the front cabin
- 51090.11 Luxurious LED reading lights (2x) in the guest cabin
- 51110.02 Indirect lighting in all steps of saloon stairs
- 51110.03 Indirect lighting in all steps of front cabine stairs
- 51110.04 Indirect lighting in all steps of after cabine stairs
- 51400.11 USB socket in steering position outside, FC, guest cabin and AC for charging mobil equipment.
- 51600.02 230V sockets in English version
- 51640.02 English 230 V. socket in the galley
- 51665.02 English 230 V. socket in the saloon (Stbd aft)
- 51700.12 Additional 230 V. socket at steering position, SB splash resistant, English version

5.2 GALLEY

- 52062.01 Cooling Tray, 30 liter, built-in at the end face of the rear half saloon settee
- 52100.02 230V. washer/dryer combination, fitted in the forward cabin shower compartment
- 52140.02 230V. induction hob, stainless steel, with touch control. 1 x 1200 W. cooking zone, 2 x 1800 W. cooking zone, 1 x 2200 W. cooking zone

- 52220.02 230V. stainless steel 42 l. microwave/oven/grill combination. Temperature range 30-250 degrees. 90-1000W microwave power. Fitted in the galley next to the sink.
- 5.4 AUDIO / VIDEO**
- 54010.90 Fusion RA70N expansion kit with usb port for data transfer + control via the multi-function display in steering position.
- 54200.02 Primary TV connection in saloon Port TV cupboard, incl.extra English 230V. socket
- 54210.01 Supplementary TV connection in aft cabin, incl. extra 230V. socket
- 54250.01 Glomex TV-antenna on mast, suitable for analogue & digital reception. Suitable for DVBT-T2 network.
- 54400.03 32" (81cm) LED TV with integrated DVB-T2 & DVB-S tuner fitted and connected in foldable back part of the dinette settee in the saloon at Port side
- 54410.02 24" (60cm) LED TV with integrated DVB-T & DVB-S tuner and DVD/CD player in aft cabin
- 5.5 VENTILATION**
- 55130.01 Combined blind/mosquito screens for panorama/escape hatch in forward cabin deck-head
- 55135.01 Combined blind/mosquito screens for cabin and head ventilation/escape hatch
- 55150.01 Combined blind/mosquito screens for panorama/escape hatch in the aft cabin deck-head?
- 5.8 EQUIPMENT**
- 58022.02 2x ball fender Ø65cm black with rope
- 58023.02 2x extra fender black with rope
- 58080.01 8 hooks at various positions in the yacht. Positions to be determined during the hand over. Fitted during the 25-hours inspection.
- 5.9 CANVAS & COVERS**
- 59030.03 Cabrio closed model over the complete aft deck, excl. drop down system, Sunbrella Dark Navy. The side- and back parts can be opened by a zip-fastener.
- 59017.01 Drop down system to reduce the draft of the standard cabrio
- 59130.03 Cover for steering console Sunbrella Dark Navy
- SPECIALS**
- 9SP10934 Teak table with luxurious high gloss painting in 7 layers

Price £535000.00 ex Vat

£642000.00 inc Vat

*** Linssen Grand Sturdy 45.0 AC**

As per catalogue/equipment schedule 02-2019

FITTING OUT SCHEDULE

BASIC DATA

01010.05	Construction	: SPH®(patent pending) (Softchine Prestressed Hull)
	Bottom/hull/decks/superstructure	: 6/5/4/4 mm.
	Weight/displacement	: ±20.000 kg / ±20 m ³
01020.05	LOA x beam x draft	: ± 13,98 x 4.35 x 1.20 m.
	Length over deck	: ± 13.23 m.
	Length waterline	: ± 12.00 m.
	Minimum air draft	: ± 3.00 m.
	Headroom FC/saloon/AC	: ± 1.97/2.01/1.99 m.
01030.03	CE-classification	: B (sea)
	Number of max. recommended persons	: 10
13010.14	Engine	: 1x 4 cyl. Volvo Penta Diesel, type D4-180 ZF 63-E / 2,48 : 1 1x 132 kW (180 HP), 2800 rpm
	Alternator	: 1x 115A-12V, 1x 80A-24V
03040.01	Fuel tank capacity	: ± 1x 1060 ltr. (single engine version) ± 2x 530 ltr. (twin engine version)
	Water tank capacity	: ± 440 ltr.
	Holding tank capacity	: ± 240 ltr.
41001.01	Aft cabin with a free-standing double berth, toilet compartment with washbasin at Port-Side, separate shower compartment at SB-side, incl. wardrobes at Port and SB-side.	
42001.01	Spacious saloon with U-settee at SB-side (incl. easy sleep convert function). Separate dinette at Port side. Spacious U-shaped galley.	
43001.01	Forward cabin with double berth and cupboards, toilet compartment and separate shower compartment. Guest cabin with 2 single beds with drawer and linen cupboard on port side and additional toilet compartment on starboard.	

1. HULL

1.1 EXTERIOR

11015.01	Hull constructed in accordance with the Linssen Yachts SPH® (patent pending) construction method	
11020.01	Stainless steel foundation for windscreen	
11025.02	Outside steering position with high-grade "Soft Coat" instrument panels	
11030.01	Integrated moulded aft deck dodgers	
11040.02	Integrated deck-boxes, U-shaped aft bench with lockable teak top and gas-pressure struts	
11080.01	Integrated central stern door to bathing platform	

1.2 STAINLESS STEEL

- 12010.01 Polished stainless steel sea rail
- 12020.01 Side entrances with stainless steel entrance chains
- 12030.01 Opening in sea rail at the bow (lockable with stainless steel chain)
- 12050.03 8 x Original Linssen-design stainless steel cleats
- 12055.01 2 x Original Linssen-design stainless steel cleats at the bathing platform
- 12080.01 Stainless steel handrails on saloon deck
- 12120.01 Comfortable solid teak step to bathing platform with elegant railing on Port and SB side
- 12125.01 Teak step in side decks
- 12130.01 Polished stainless steel foldable bathing ladder at bathing platform (incl. solid teak steps with anti-slip profiles)
- 12145.02 Robust, stainless steel coated bathing platform, with solid teak parts (including Heavy Duty Linssen PVC fendering from bathing platform to 1/3 of the hull length)

1.3 TECHNICAL

- 13029.02 Air suction vents engine compartment with anodised aluminium grill at Port and Starboard side
- 13030.01 Linssen DUAL CROSS engine foundation
- 13040.01 Linssen "FIS" system (patent Floor Integrated System®) for integral protected loop-up of cables and ductings in the engine compartment
- 13050.05 Provisions for bowthruster
- 13061.04 Provisions for sternthruster incl. main power cables
- 13080.03 Provisions for deck-wash pump
- 13110.01 Outside shower at bathing platform, with warm and cold water tap
- 13150.02 Integrated bow fitting with fixed anchor roller and stainless steel anchor holder
- 13240.01 Selfdraining seawaterproof anchor chain container
- 13270.02 Provisions for installation of a Linssen tender lift at bathing platform
- 13280.01 Waterproof speakers for radio at outside steering position

2. COATING

2.1 COATING & DECK FINISH

- 21010.01 Linssen 2 component Exterior Coating system
- 21020.01 Saloon and cabin deck in anti-slip coating
- 21030.01 Fore-deck and side decks in anti-slip coating
- 21040.01 Aft deck in anti-slip coating

- 21060.01 Non-toxic antifouling suitable for fresh and salt water (Black colour)
- 21070.01 Additional 2-component easy-to-clean protective coating in engine compartment
- 21090.19 Original Linssen colour scheme:
 - Superstructure and hull : Sand Beige (D803)
 - Waterline : Dark Green (H4024)
 - Antifouling : Black
 - Rope fender : Beige
 - Canvas and covers : Sunbrella Dune
 - Glass windows saloon, windscreen, ventilation-/escape hatch : "summer green" tinted

3. ENGINE COMPARTMENT

3.1 TECHNICAL

- 31010.03 Linssen Yachts "hydrolubricated" propeller shaft installation
- 31020.01 Engine/shaft connection through homokinetic coupling and thrust bearing
- 31025.01 Special low noise propeller
- 31032.09 Electric bowthruster Side Power 24V/170 kgf (8 kW / 10,7 HP)
incl. 2x 130 Ah maintenance-free batteries
- 31070.03 Electronic engine control at steering position
- 31100.01 Hydraulic steering with adjustable steering wheel (single)
- 31096.04 Stainless steel steering wheel with teak rim at outside steering position
- 31120.01 Emergency steering installation
- 31150.13 Central positioned fuel tank with inspection/cleaning hatch, incl. level indicator (\pm 1060 litres)
- 31160.03 Magnetic level gauge in fuel tank for direct volume indication
- 31170.03 Separate second (1x on engine) fuel filter, with water separator
- 31210.01 Fuel supply cut-off to engine from saloon settee
- 31240.05 Linssen Compartment Controlled Heating with separate day/night function:
1x 5.5kW warm air heating for saloon and galley with control in saloon and 1x 4kW for FC/day toilet/AC/AC toilet/guest cabin with control in the AC. Lockable outlets in FC, guest cabin and toilet compartments
- 31310.01 Engine room lighting with switch and indicator in switch panel
- 31330.01 Engine compartment hatch, with a ladder next to the engine
- 31700.03 Automatic fire extinguishing in engine compartment
- 31750.01 Linssen super sound insulation package consisting of a sound absorbent insulation and a non vibration package.

3.2 ON-BOARD WATER SYSTEMS

- 32010.02 Automatic pressurized water system (incl. solid PVC water tank with inspection/cleaning hatch (\pm 440 litres), incl. analogue level indicator in switch panel)
- 32020.01 Automatic pump for water system
- 32050.04 Hot water system (60 litre calorifier)
- 32060.01 230 V./800W immersion heater in calorifier
- 32080.03 Holding tank toilet including Dockside-Discharge connection and level indicator (\pm 240 litres)
- 32095.01 All grey water outlets (sinks and shower-drainage) discharge directly overboard
Drain pump(s) shower(s) finished with time relay
- 32110.02 Holding tank waste pump-out unit for Direct Discharge
- 32180.02 Electric bilge pump installation in engine compartment, with float switch for alarm. Manually switched
- 32200.01 Additional loose electric bilge pump provided, with discharge tube and supply cable

3.3 ELECTRICAL & ELECTRONICS

- 33020.01 Main fuse incorporating automatic cut-out. Main switch panel in hall to FC
- 33030.01 230V. /16Amp shore power connection with fuses and shore power cable (25 metres)
- 33070.03 Domestic: 12V. with 3 maintenance free 85 Ah gel-batteries
- 33148.01 Domestic circuit 12V. Voltmeter
- 33170.01 Starting circuit 12V. with 1 x maintenance free 90 Ah battery
- 33230.03 Additional battery charger for bow and sternthruster group
- 33270.01 Original Linssen Power Pack: automatic battery charger/inverter type Mastervolt Mass Combi 12/2200-100 (100 A / 2200 W.) with battery watch domestic system and 2x 85 Ah. additional maintenance free domestic gel-batteries.

3.4 INSTRUMENTS & NAVIGATION

- 34010.01 Engine instrument panels with rev.counter, engine hour meter and multifunction meter voltameter with alarm, temperature gauge with alarm and oil pressure gauge with alarm
- 34030.02 Compressor horn with control at steering position
- 34050.02 Government approved LED navigation lights: Starboard and Port side on superstructure, stern light, top light in mast and anchor light
- 34070.01 Spare wiring for compass/windset

3.4.1 NAVIGATION INSTRUMENTS

- 34080.14 Raymarine i70S multifunction instrument with read out from echosounder, log and outside water temperature at steering position

3.5 EXTERIOR EQUIPMENT HULL

- 35010.00 Magnesium or zinc anodes (depending on cruising area)
- 35030.01 Original Linssen synthetic-fibre rope fender, with stainless steel stretcher (Beige colour)
- 35040.01 Ships name on bow and stern. Port of Registry and Registration number on stern in colour of the waterline
Bow letter type; Snell Roundhand. Stern letter type; VAG
- 35081.23 Manual anchor winch with integrated Heavy Duty stainless steel anchor roller and Linssen patented anchor rail. Including 30m 8mm. anchorchain and 20 kg. Bruce anchor

3.7 EXTERIOR EQUIPMENT SUPERSTRUCTURE

- 37010.03 Robust windscreen wiper installation windscreen (3x)
- 37040.03 Window spray-installation windscreen for three wipers including wish-wash function
- 37070.04 Original Linssen Design mast, with double yard, powder coated in superstructure colour
- 37075.02 Stainless steel mast stays with quick release system
- 37110.07 Magnus 'S' helm-seat in imitation Sandsurf MT 0027CP leather, on stainless steel adjustable support.
- 37180.01 Stainless steel Linssen Grand Sturdy logo
- 37245.01 Teak deck box joint table model
- 37261.02 Teak sliding hatch
- 37271.11 entrance door, varnished in superstructure colour

3.8 WINDOWS

- 38010.01 All windows to saloon in anodised aluminium profiles, incl. toughened "Summer Green" tinted glass
- 38040.02 Hinged Starboard window in forward saloon, with "summer green" tinted glass
- 38070.02 Sliding window in saloon at Port side, with "Summer Green" tinted glass
- 38300.02 4 x opening port-holes in the forward cabin, with plain acrylate
- 38320.01 6 x opening port-holes in the aft cabin, with plain acrylate
- 38400.01 Aluminium ventilation/escape hatch, with "Summer Green" tinted acrylate in the forward cabin
- 38410.01 Aluminium ventilation/escape hatch, with "Summer Green" tinted glass in guest cabin and head
- 38420.01 Aluminium ventilation/escape hatch, with "Summer Green" tinted glass in

aft cabin

- 38430.01 5-part aluminium windscreen with anodised profiles, with "Summer Green" tinted/toughened glass fitted on coated stainless steel foundation
- 38440.03 Fixed aluminium deck window integrated in saloon deck as engine hatch, profile coated in colour superstructure (Linsen Sand Beige)

4. INTERIOR

GENERAL

- 40010.01 Linssen panels FPS® (Floating Panel System, Patented)
- 40020.01 Interior constructed of high-end okoumé panelling with cherry veneer
- 40030.02 Deck-head lining in elegant vinyl finish panels
- 40040.02 Original Linssen ships floor. Hatches in aisle to FC finished with hinges
- 40050.02 High gloss stainless steel fittings in all compartments
- 40060.02 High gloss stainless steel door and locker furniture, with push-button catches

4.1 AFT CABIN

- 41021.01 Double berth, with slatted base and sprung mattress including spacious drawers underneath bed
- 41031.01 Bedside table at Port side
- 41041.01 Bedside table at Starboard side
- 41051.01 Soft paneling AC against transom
- 41111.01 Settee in the aft cabin
- 41412.01 Soft paneling AC at SB side
- 41121.01 Spacious hanging wardrobes in the aft cabin

4.1.2 SHOWER AND HEADS COMPARTMENTS

- 41062.01 Toilet compartment in the aft cabin in HPL finish
- 41071.02 Washbasin in aft toilet-compartment, built into vanity unit. Worktop and wash basin in toilet compartment finished in original Corian® "Clamshell"
- 41092.01 Shower in the AC finished in HPL finish
- 41092.91 Shower trays in corian type Clamshell designed with grooves for water drainage, without skirting boards

4.2 SALOON & GALLEY

- 42021.01 Comfortable saloon settee with "Easy Sleep Convert System", double-bed function with integrated storage space
- 42035.03 Elegant saloon table, low model
- 42041.01 Grab rail at saloon stairs, in high gloss stainless steel
- 42071.01 Dinette in saloon with integrated storage space
- 42081.01 U-shaped galley with cupboards and drawers

- 42092.01 U-shaped galley worktop finished with original Corian® "Clamshell"
- 42099.99 Additional work surface in the galley through cherry wood folding part next to hob
- 42141.01 Functional storage space in forward section with automatic light switch

4.3.1 FRONT CABIN AND GUEST CABIN

- 43021.01 Double berth with slatted base and large drawer
- 43031.01 Combined hanging-locker/linen-cupboard on Port side
- 43041.02 Spacious linen cupboard on Starboard side
- 43101.01 Two single berths in the guest cabin, incl. drawer under Stbd berth
- 43121.01 Spacious linen cupboard in guest cabin
- 43111.01 Cupboard between the berths in guest cabin
- 43412.02 Soft paneling FC, longitudinal SB/Port (4 panels)

4.3.2 SHOWER AND HEADS COMPARTMENTS

- 43062.01 Toilet/shower walls FC in HPL finish
- 43071.02 Washbasin in front and cabin toilet-compartment, built into vanity unit. Worktop and wash basin in toilet compartment finished in original Corian® "Clamshell"
- 43082.01 Shower in the FC finished in HPL finish
- 43082.91 Shower trays in corian type Clamshell designed with grooves for water drainage, without skirting boards
- 43081.11 Storage space in the shower FC, suitable for subsequently fitting of washer/dryer

5. FINISH

5.1 LIGHTING & SOCKETS

- 51010.05 LED dimmed interior light fittings in all compartments, with light switches
- 51070.11 Luxurious LED reading lights (2x) in the aft cabin
- 51110.05 Indirect lighting in step to galley
- 51400.01 1x USB socket in the saloon for charging mobil equipment. No data transfer.
- 51500.00 1 x 12 V. socket at dinette in saloon
- 51600.01 230V sockets in the aft cabin (2x), aft cabin toilet (1x), forward cabin (2x), forward cabin toilet (1x), dinette (1x) and pantry (1x double)

5.2 GALLEY

- 52015.01 Bar cupboard/drawer in saloon, incl. set of Linssen Yachts glasses (comprising: 6 shot glasses, 6 highball glasses, 5 whisky glasses and 6 wine glasses)
- 52020.01 Integrated waste bucket in cupboard
- 52025.01 Anti-skid mats in galley drawers
- 52030.01 Cutlery tray
- 52040.02 110 l. refrigerator with freezer compartment in the galley
- 52105.02 Gas installation with Campingaz gas bottle (3kg), in container at bathing platform
- 52110.02 3-burner stainless steel gas hob
- 52120.02 Glass coverplate for 3-burner gas hob
- 52180.01 Stainless steel sink
- 53020.03 Mixer tap in galley type Grohe Essence

5.3 SANITARY FITTINGS

- 53010.01 Selected bathroom fittings (mirror, toilet paper holder, etc.), in the forward cabin
- 53015.01 Selected bathroom fittings (mirror, toilet paper holder, etc.), in the aft cabin
- 53030.03 Wash-basin mixer tap in toilet compartment FC type Grohe Essence
- 53040.03 Wash-basin mixer tap in toilet compartment AC type Grohe Essence
- 53050.04 Shower mixer tap in forward shower type Grohe 1000C (Thermostatically adjustable) incl. shower rail
- 53060.04 Shower mixer tap in aft shower type Grohe 1000C (Thermostatically adjustable) incl. shower rail
- 53130.02 Electric toilet in forward cabin, with fresh water rinsing
- 53140.02 Electrical toilet in the aft cabin, with fresh water rinsing

5.4 AUDIO / VIDEO

- 54010.02 Stereo radio/MP3-player Fusion RA70N with bluetooth including 2 speakers in the saloon and FM radio antenna in mast.
Audio streaming possible
Operation possible via the App FUSION link
DAB+ ready
AM/FM including RDS
Amplifier Class-AB 4x 50W

5.6 INTERIOR UPHOLSTERY

- 56021.02 Dinette settees, finished in genuine leather, cream colour
- 56041.02 Anatomically moulded U-shaped saloon settee, finished in genuine leather, cream colour
- 56082.02 Seat in aft cabin in genuine leather

- 56101.11 Mattress 1x 2 pers. in front cabin type coldfoam 14 cm. with layer in foam in two hardness grades.
- 56131.11 Mattress 1x 2 pers. in aft cabin type coldfoam 14 cm. with layer in foam in two hardness grades
- 56161.01 Mattress 2x single person in guest cabin type coldfoam 10 cm. with layer in foam in two hardness grades.
- 56300.01 Curtains for windows and hatches, cream colour

5.7 EXTERIOR UPHOLSTERY

- 57015.03 Cushions for aft deck U-settee in imitation leather, Sandsurf MT 0027CP

5.8 EQUIPMENT

- 58010.01 Spares kit including tool-kit, impeller, fuses, paint-tips and various maintenance parts
- 58020.01 Complete inventory including 6 fenders, 4 mooring ropes (10 meters), boathook, life buoy, bucket, scrubbing brush, national flag, yard ribbon, safety rope for anchor chain and anchor ball
- 58030.01 First-aid box in saloon according to DIN13157
- 58040.01 ABC fire class compliant fire extinguishers (2 x 2 kg): 1x in saloon settee, 1x in "cellar"
- 58045.01 Optical smoke detector with fixed built-in lithium battery (life span 10 years) in all sleeping compartments.

5.9 CANVAS & COVERS

- 59030.01 Cabrio closed model over the complete aft deck, excl. drop down system, Sunbrella Dune. The side- and back parts can be opened by a zip-fastener.
- 59130.01 Cover for steering console Sunbrella Dune