

**Linssen Yachts selected Option list above standard specification  
Linssen Grand Sturdy 45.0 AC Intero hull #3722**

**Version: Delivery April 2022**

**Item Description**

---

**1. HULL**

**1.2 STAINLESS STEEL**

- 12020.02 Polished stainless steel hinged side ladder integrated into deck rail (Port and Starboard)
- 12071.01 Stainless steel protection set at side railing entrances and stern (3x)
- 12075.01 Stainless steel steps to saloon deck midships, demountable, finished with anti-slip steps incl. 2 hand grips on saloon deck

**1.3 TECHNICAL**

- 13020.06 Engines: 2x 5 cyl. Volvo Penta Diesel, type D3-110  
ZF 45-H / 3,031 : 1  
2x 82 kW (110 HP), 3000 rpm  
Alternator: 2x 180A-12V
- 13290.01 Heating (blower) at the outside steering position by means of heat exchanger connected to the engine. Equipped with 4x blowers (2x against windscreen windows, 2x under the steering position).  
The heat exchanger is mounted in the saloon settee including an extra expansion tank for the engine cooling.
- 13300.04 LED deck illumination 4x integrated in deck-box and 2x integrated at steering position

**2. COATING**

**2.1 COATING & DECK FINISH**

- 21090.15 Original Linssen colour scheme:  
Hull: Dark Grey  
Superstructure: Egg Shell White  
Waterline: Egg Shell White  
Antifouling: Black  
Rope fender: Black  
Canvas and covers: Sunbrella Cadet Grey  
Glass windows saloon, windscreen,  
ventilation-/escape hatch: "Smoke Grey" tinted

## **2.2 TEAK DECKS**

- 22010.01 Original LINSSEN teak deck on front deck and side decks
- 22020.01 Original LINSSEN teak deck on aft deck, steps on transom and ventilation-/escape hatch

## **3. ENGINE COMPARTMENT**

### **3.1 TECHNICAL**

- 31053.08 Electric stern thruster Side Power 24V/150 Kgf (8,8 kW/11,8 HP)  
incl. 2x 170 Ah maintenance-free battery
- 31200.03 Double fuel filter with switch (2x)  
Only in combination with twin engine version
- 31308.01 Towel radiator in toilet compartment front cabin electric 230 V.  
thermostatically controllable
- 31308.21 Towel radiator in toilet compartment aft cabin electric 230 V.  
thermostatically controllable

### **3.3 ELECTRICAL & ELECTRONICS**

- 33290.03 ONAN 230V/7 KW, type MDKAV generator. Intercooling, continuous power, integrated in shore power connection. Incl. water/gas separator for exhaust generator. A remote control panel with digital display of volt, Hz, amp., speed, coolant temperature, oil pressure, battery voltage and the total number of operating hours. The control panel gives a pre-alarm before the generator shuts down due to low oil pressure or high temperature. If the generator is switched off due to a malfunction, the display will show a description of the error and the error code.

#### **3.4.2.4 SEA PACKAGE**

- 34110.11 Raymarine autopilot with p70RS display at steering position (incl. course computer/rudder indicator/compass transducer)
- 34125.07 Raymarine Axiom12, 12" multifunctional colour display with touchscreen and Wi-Fi at steering position. Including read out from echo sounder, log and outside water temperature.
- 34132.80 Raymarine RMK-10 remote keypad for complete touch control for one or several display.
- 34140.03 Navionics Gold XL9 marine chart type 46XG, West Europe
- 34160.05 Raymarine Quantum 2 (Doppler) CHIRP radar antenna, on the mast

#### **3.4.3 VIEW PACKAGES**

##### **3.4.3.1 Rear view**

- 34145.11 1x Raymarine CAM220 IP day & night net dome video camera on transom for rear view with readout on multifunctional Raymarine display

##### **3.4.3.2 Mooring view**

- 34145.12 2x Raymarine CAM220 IP day & night net dome video cameras with readout on multifunctional Raymarine display:
  - 1x SB and 1x Port on the hull for mooring view

#### **3.4.4 REMOTE PACKAGES**

- 34110.13 Raymarine Smart Controller wireless autopilot remote control
- 31067.01 Remote control for bow (and stern) thruster

#### **3.4.5 COMMUNICATION PACKAGES**

- 34190.09 Raymarine Ray90 VHF with Class D "Digital Selective Calling" (DSC) incl. passive speaker at steering position including antenna in Mast
- 3.4.6 OTHER NAVIGATION INSTRUMENTS**
- 34135.06 Second Raymarine Axiom12, 12" multifunctional colour display with Touch screen and Wi-Fi at steering position. Including read out from echo sounder, log and outside water temperature.
- 3.5 EXTERIOR EQUIPMENT HULL**
- 35010.01 Magnesium anodes (for fresh water)
- 35030.90 High-gloss stainless steel fender rope cap at the ends of the fender rope, fitted with a tensioning device.
- 35092.32 Electric anchor winch 1200W/24V. mounted above deck with integrated stainless steel anchor rollers and anchor rail with 80m. 10 mm. anchor chain and 20 Kg. Bruce-anchor
- 35120.12 High gloss polished stainless steel Bruce-anchor 20 kg. AISI-316
- 3.6 LINSSEN YACHTS TENDER SOLUTIONS**
- 36040.05 Linsse Yachts electric stainless steel dinghy lift installation on bathing platform. Lifting capacity 250 kg. incl. remote control.
- 3.7 EXTERIOR EQUIPMENT SUPERSTRUCTURE**
- 37020.50 Extend windscreen wiper installation with synchronous and 3 step interval function. In the interval mode, the wipers run synchronously and are self-parking.
- 37080.08 Electric mast lowering system, incl. control at steering position.
- 37110.37 2nd helm-seat in sand beige imitation leather, on stainless steel adjustable support.
- 37130.01 Deck lighting with 2 lights at mast
- 37230.01 Luxury teak table incl. joint (outside)
- WINDOWS**
- 38031.01 **Double-glazed smoke grey tinted windows in the saloon incl entrance door**
- 4. INTERIOR**
- 4.1 AFT CABIN**
- 41051.90 Mirror in aft cabin on aft bulkhead
- 5.1 LIGHTING & SOCKETS**
- 51080.11 Luxurious LED reading lights (2x) in the front cabin
- 51090.11 Luxurious LED reading lights (2x) in the guest cabin
- 51100.01 Attractive indirect lighting in saloon
- 51100.02 Attractive indirect lighting in the FC and AC heads
- 51110.02 Indirect lighting in all steps of saloon stairs
- 51110.03 Indirect lighting in all steps of front cabin stairs
- 51110.04 Indirect lighting in all steps of after cabin stairs
- 51400.05 Additional USB socket in FC portside and AC starboard side for charging mobile equipment.
- 51400.11 USB socket in steering position outside, FC, guest cabin and AC for charging mobile equipment.
- 51640.01 230 V. socket in the galley
- 51655.01 230 V. socket in saloon (Port-side aft)
- 51665.01 230 V. socket in the saloon (Stbd aft)

- 51700.11 Additional 230 V. socket at steering position, SB side splash resistant
- 5.2 GALLEY**
- 52062.01 Cooling Tray, 30 litre, built-in at the end face of the rear half saloon settee
- 52100.02 230V. washer/dryer combination, fitted in the forward cabin shower compartment
- 52140.02 230V. induction hob, stainless steel, with touch control. 1 x 1200 W. cooking zone, 2 x 1800 W. cooking zone, 1 x 2200 W. cooking zone
- 52080.03 230V. dishwasher (front loader) integrated into galley at SB-side beneath side deck. Capacity: 6 covers
- 52220.02 230V. stainless steel 42 l. microwave/oven/grill combination. Temperature range 30-250 degrees. 90-1000W microwave power. Fitted in the galley next to the sink.
- 5.3 SANITARY FITTINGS**
- 53090.01 Shower door in aft cabin shower
- 5.4 AUDIO / VIDEO**
- 54010.90 Fusion RA70N expansion kit with usb port for data transfer + control via the multi-function display in steering position.
- 54200.01 Primary TV connection in saloon Port TV cupboard, incl. extra 230V. socket
- 54210.01 Supplementary TV connection in aft cabin, incl. extra 230V. socket
- 54250.01 Glomex TV-antenna on mast, suitable for analogue & digital reception. Suitable for DVBT-T2 network.
- 54250.02 Glomex TV-antenna on mast, suitable for analogue & digital reception. Suitable for DVBT-T2 network. Type VT300 omni direct
- 54400.03 32" (81cm) LED TV with integrated DVB-T & DVB-S tuner in saloon
- 54410.03 32" (81cm) LED TV with integrated DVB-T & DVB-S tuner in aft cabin
- Only in combination with position(s):***
- 54210.01 TV connection in aft cabin
- 54610.05 Preparation consisting of extra 230V socket in saloon next to TV cabinet and HDMI cable from TV
- 5.5 VENTILATION**
- 55135.01 Combined blind/mosquito screens for cabin and head ventilation/escape hatch
- 55150.01 Combined blind/mosquito screens for panorama/escape hatch in the aft cabin deck-head?
- 5.8 EQUIPMENT**
- 58022.02 2x ball fender Ø65cm black with rope
- 58023.02 2x extra fender black with rope
- 58080.01 8 hooks at various positions in the yacht. Positions to be determined during the hand over. Fitted during the 25-hours inspection.
- 5.9 CANVAS & COVERS**
- 59030.04 Cabrio closed model over the complete aft deck, Sunbrella Cadet Grey. The side- and back parts can be opened by a zip-fastener.

61015.01 Boat shrink-wrapped in plastic for transport

Delivery: EX Maasbract April 2022

Price Euro €